Date:
1. Patient data
Last name:
First name:
Date of birth (dd-mm-yy):
Mobile phone number:
E-mail:
General practitioner:
Referred by:
2. Data on the facial pain
- Do you have more than one type of facial pain?
Yes: Briefly describe the different types below:
For the rest of the questionnaire, describe the main facial pain.
a) Are you ever free of facial pain?
NoYes. When, in what period?
During pregnancy
☐ During holidays ☐ During weekends
Arbitrary
Other:
b) First facial pain:
Startedago. I wasyears old.
c) What triggered your first facial pain?:
☐ Dental care. ☐ Accident:
Infection with fever
d) Current pattern (how fast):
☐ Sudden ☐ Rapid ☐ Gradual ☐ Varies
Moment of the day::
Morning Afternoon Evening Night Awakens from sleep Varies

When is the facial pain more frequent:

		, ,	. age = 0			
☐ Weekends ☐ Spring	☐ Weekdays ☐ Summer	☐ Vacations ☐ Fall	☐ Winter			
e) Type of pain						
Before N	low					
	Unpleasant ser	sation, hypersens	itive area			
	Dull pain					
	Burning pain					
	Sharp pain					
	Electric shock Boring pain					
	Stabbing pain					
f) Intensity (circle)						
i) interiority (o	i) intensity (Circle)					
Continuous pain $0-1-2-3-4-5-6-7-8-9-10$						
Bursts of pain $0-1-2-3-4-5-6-7-8-9-10$						
- Are there fluctuations in intensity? No Yes, when? At the beginning of the complaints When the pain was most intense Now						
complaints):	pects the evolution of the pair					
- Duration of continuous pain:						
Days	Hours					
- Durations of short bursts of pain:						
	•					
Hours	Minutes		Seconds			

h) Location (indicate on the drawing where the pain is located)

If the pain occurs in a specific nerve area, indicate on figure 1 or according to a subdivision of the trigeminal nerve, indicate on figure 2. If this is not the case, you can indicate the localization on page 7 on figure 3 if it is probably a muscle pain, on figure 4 if the pain emanates from a specific tooth, or if none of these is the case on figure 5.

Fig. 1a LEFT:




Fig. 2a




Fig. 1b RIGHT:





Fig. 2b



i) Character of continuous pain:				
☐ Throbbing/ pulsing ☐ Achy ☐ Dull ☐ Other:	☐ Pressure ☐ Burning ☐ Stabbing			
j) Character of short bursts of pain:				
☐ Throbbing/ pulsing ☐ Burning ☐ Searing	☐ Shooting ☐ Stabbing ☐ Other:			
k) Associated symptoms				
 Vision problems Double vision Eye-tearing (R-L) Drooping eyelid (R-L) Dripping nose Stuffy nose 				
I) Influencing factors Which of the following factors can aggravate or cause pain?				
Movement or contact in the facial a Jaw movements Tongue movements Swallow Speak A certain position of the head A certain body position Physical activities/exertion Stress, tension Fatigue	area			
3. Quality of life:				
My appetite lately is:	☐ Decreased☐ not changed☐ not changed			
My psychical condition can be described as anxious anxious calm depressed	euphoric euphoric			
I gethours of sleep per night. Difficulties falling asleep: Yes I wake up during the night or early morning Yes No	_			
I wake up with headache: Yes	∐ No			

Sexual difficulties: Yes No
Effect of facial pain on daily life: work activity# days per month missed. absence of school# days per month missed. Social, familial activities# days per month missed.
4. Current treatment
- For facial pain (including painkillers + number per day or per week):
- Other medication:
5. Previous treatments and tests.
a) Previous treatments by: General practitioner:
Neurologist: Medication or infiltration. If infiltration indicate where on page 3
left or right
☐ Ophtalmologist
Chiropractor:
Physiotherapy: Oral maxillofacial specialist: Indicate which procedure, unilateral left or right or at the
level of both jaw joints and indicate area of pain on Figure 3 on page 7
Pain specialist: In case of infiltration indicate where on page 3
b) Previous tests:
CT of the jaw joints
CT sinus MRI head
Orthopantogram
MRI of the jaw joints
Cervical MRI

 c) Medications already taken: (+ side effects) For facial pain (including painkillers + number per day or per week):
- Other medication:
6. Background
a) Personal history (except facial pain):
L\ Passile, kistame.
b) Family history: - Facial pain in family members:
- Significant medical history of family members:
7. Social life and lifestyle
I live in a household of people and I have children.
Type of work:
I drink # cups of coffee a day.
I drink# alcoholic beverages
per day per week per month
I smoke # cigarettes per day. I practice a sport: ☐ No ☐ Yes, times per week
Weight:kg, length:cm.
Blood pressure: mmHg.

Fig. 3
RIGHT:

temporal muscle
external ear canal jaw joint
jaw muscle

